



Topline Equine Veterinary Care | Dr. Jennifer Teigen | Dr. Lesley Szenay
 3087 130th Avenue, Glenwood City, WI 54013 | (715) 684-9442
www.toplineequinevetcare.com Email: toplineequinevetcare@gmail.com

EQUINE DEWORMING SCHEDULE

	Time of Year	Active Ingredient	Recommended product	Product Administrated	Date Administrated
Foals					
	February	Ivermectin	Eqvalan or Zimectrin		
	April	Pyrantal Pamoate	Strongid		
	June	Fenbendazole	Panacur		
	August	Pyrantal Pamoate	Strongid		
	October	Ivermectin Praziquantel	Zimectrin Gold		
	December	Ivermectin Praziquantel	Zimectrin Gold		
Horses					
	Spring	Fenbendazole or Pyrantal Pamoate	Panacur or Strongid		
	Summer	Fenbendazole Oxibendazole or Pyrantal Pamoate	Panacur or Stongid		
	Fall	Ivermectin Praziquantel	Zimectrin Gold		
	Winter	Moxidectin or Ivermectin Praziquantel	Quest or Eqvalan or Zimectrin Gold		

When to deworm:

You should begin deworming your foal at 6-8 weeks of age and every two months thereafter for the first 24 months of its life. Treatment should be based on the time of year and the age of the foal. After 24 months, horses can be dewormed every three months. Some adult horses may require more often due to population and environment of housing.